ACID CONTROLLER- famotidine tablet, film coated Walgreen Company

Walgreen Co. Acid Controller Drug Facts

Active ingredient (in each tablet)

Famotidine 20 mg

Purpose

Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness**, **sweating**, **or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **10 to 60minutes before** eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, and titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

VALUE SIZE

Compare to Maximum Strength Pepcid® AC active ingredient

Acid Controller

FAMOTIDINE TABLETS, 20 mg / ACID REDUCER

MAXIMUM STRENGTH

Just one tablet prevents & relieves heartburn due to acid indigestion

200 TABLETS

ACTUAL SIZE

SEE NEW WARNINGS



Walgreens

Controller

FAMOTIDINE TABLETS, 20 mg/ ACID REDUCER

Drug Facts

Active ingredient (in each tablet) Purpose
Famotidine 20 mg......Acid reducer

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers
- Ask a doctor before use if you have
- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizzines
 chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
 unexplained weight loss
 nausea or vomiting stomach pain ■ kidney disease

Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Drug Facts (continued)

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- to relieve symptoms, swallow 1 tablet with a glass of water Do not chew
- to prevent symptoms, swallow 1 tablet with a glass of water at any time from 10 to 60 minutes before eating food or drinking beverages that cause
- do not use more than 2 tablets in 24 hours children under 12 years: ask a doctor

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
 store at 20°-25°C (68°-77°F)
- protect from moisture

Inactive ingredients carnauba wax, colloidal silicon dioxide, croscarmellose sodium, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments? 1-800-719-9260

VALUE SIZE

Walgreens

Compare to Maximum Strength Pepcid® AC active ingredient^{††}

Acid Controller

FAMOTIDINE TABLETS, 20 mg/ ACID REDUCER

MAXIMUM STRENGTH

• Just one tablet prevents & relieves heartburn due to acid indigestion

200 tablets

ACTUAL SIZE

SEE NEW WARNINGS

- Tips for Managing Heartburn
 Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach

- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables

DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com ©2018 Walgreen Co.

Buy this item often?

AUTO-REORDER & SAVE

Just one tablet prevents and relieves heartbum due to acid indigestion brought on by eating and drinking certain foods and beverages. Walgreens Pharmacist Recommended | Walgreens Pharmacist Survey | This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Maximum | Strength Pepcid® AC.



ORG0119-F REV-0320



19482 94 C2

ACID CONTROLLER

famotidine tablet, film coated

Product Information

HUMAN OTC DRUG NDC:0363-0701 Product Type Item Code (Source)

ORAL Route of Administration

Active Ingredient/Active Moiety

п	0	D		
l		Ingredient Name	Basis of Strength	Strength
ı	FAMOTIDINE (UNII: 50.ZO	15.12.7.8.) (FAMOTIDINE - UNII:50.7.0.15.12.7.8.)	FAMOTIDINE	20 mg

Inactive Ingredients		
Ingredient Name	Strength	
CARNAUBA WAX (UNII: R12CBM0EIZ)		
SILICON DIO XIDE (UNII: ETJ7Z6XBU4)		
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)		
LACTO SE MO NO HYDRATE (UNII: EWQ57Q8I5X)		
MAGNESIUM STEARATE (UNII: 70097M6130)		
MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)		
TALC (UNII: 7SEV7J4R1U)		
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)		

Product Characteristics					
Color	WHITE	Score	no score		
Shape	ROUND	Size	8 m m		
Flavor		Imprint Code	L194		
Contains					

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0701-71	1 in 1 CARTON	09/26/2006	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:0363-0701-72	1 in 1 CARTON	06/02/2011	
2		60 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:0363-0701-01	1 in 1 CARTON	10/29/2007	
3		85 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:0363-0701-02	25 in 1 CARTON	09/26/2006	
4		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
5	NDC:0363-0701-39	30 in 1 CARTON	04/10/2015	04/10/2015
5		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
6	NDC:0363-0701-82	1 in 1 CARTON	05/08/2019	
6		200 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077351	09/26/2006	

Labeler - Walgreen Company (008965063)

Revised: 6/2020 Walgreen Company